



WATER HEATERS

Safety in a space like a bathroom is of utmost importance. Choose from a range of safe, durable, and energy-efficient water heaters by ESSCO

FEATURES



High quality
Glasslined Inner tank



Energy Saving
High Density
PUF Insulation



Incoloy
Heating Element



Magnesium
Anode Rod



BEE Star Rating



Multi Function
Safety Valve



Rust Free
Body



Power
Saver



High Quality
Safety Features



Quality
at Best Price

WATER HEATERS



INT-ESS-3KW01/INT-ESS-3KW03/INT-ESS-4.5KW01/INT-ESS-4.5KW03				
Details	Instant			
Volume (L)	01/03			
Rated Wattage(KW)	3/4.5			
Voltage/Frequency (V/Hz)	230/50			
Temperature Range	25°C to 75°C			
Working Pressure (MPa)	0.65			
Inlet/Outlet Connection (Inch)	1/2			
Outer Body Material	Plastic			
Warranty	5 Years on Tank			
	2 Years on Heating Element			
	2 Years on other Component			
Product Dimensions (mm)		Height	Width	Depth
	01 L	319	176	156
	03 L	380	224	196

MODEL	MRP (₹)
INT-ESS-3KW01	3,750
INT-ESS-3KW03	4,250
INT-ESS-4.5KW01	4,050
INT-ESS-4.5KW03	4,550

WATER HEATERS



ULT-ESS-V006/ULT-ESS-V010/ULT-ESS-V015/ULT-ESS-V025/ULT-ESS-V035			
Details	Ultra Vertical Manual		
Volume (L)	06 /10/15/25/35		
Rated Wattage(KW)	2		
Voltage/Frequency (V/Hz)	230/50		
Temperature Range	25°C to 75°C		
Working Pressure (MPa)	0.8		
Inlet/Outlet Connection (Inch)	1/2		
Outer Body Material	Metallic		
Warranty	5 Years on Tank		
	2 Years on Heating Element		
	2 Years on other Components		
Product Dimensions (mm)		Height	Width
	06 L	390	285
	10 L	410	340
	15 L	445	335
	25 L	575	374
	35L	710	380

MODEL	MRP (₹)
ULT-ESS-V006	7,400
ULT-ESS-V010	8,000
ULT-ESS-V015	8,750
ULT-ESS-V025	9,850
ULT-ESS-V035	11,000

35L also available in horizontal version

WATER HEATERS



ULT-ESS-EH015/ULT-ESS-ELHS015/ULT-ESS-EH025/ULT-ESS-ELHS025			
Details	Ultra Horizontal Manual		
Volume (L)	15/25		
Rated Wattage(KW)	2		
Voltage/Frequency (V/Hz)	230/50		
Temperature Range	25°C to 75°C		
Working Pressure (MPa)	0.8		
Inlet/Outlet Connection (Inch)	1/2		
Outer Body Material	ABS		
Warranty	5 Years on Tank		
	2 Years on Heating Element		
	2 Years on other Component		
Product Dimensions (mm)		Height	Width
	15 L	320	510
	25 L	320	725

MODEL	MRP (₹)
ULT-ESS-EH015	9,200
ULT-ESS-ELHS015	9,200
ULT-ESS-EH025	10,200
ULT-ESS-ELHS025	10,200

Water Heaters



More design More capacity



*On Select Models | In Select Cities

Why Jaquar Water Heaters

Water heaters that give you more.

To ensure that they are worthy of the trust that is placed by customers in every Jaquar product, a whole range of safety, longevity and energy efficiency features have been built in to these water heaters:

1) MORE SAFETY

- Double Safety Thermostat – dual overheating control mechanism cuts off power automatically even if primary cut off fails
- Multi-function Safety Valve – discharges water and acts as a non-return valve if pressure or temperature exceed preset limits



**Double Safety
(Thermostat and
Thermal Cut-out)**



**Multi Function
Safety Valve**



**Earth Leakage
Circuit Breaker**

2) MORE LIFE

- Superior Quality Glass-lined Inner Tank – prevents rust, corrosion and prolongs the life of the inner tank
- Single/Dual Glass-coated Incoloy Heating Elements – made of high quality steel for quicker heating and to prevent scale formation



**High Quality
Glass Lined
Heating Elements**

3) MORE SAVINGS

- High Density Insulation – CFC-free PUF insulation, with added thickness to minimise heat loss and maximise energy savings
- Cathodic Protection – a sacrificial Magnesium Anode protects and saves the tank from electrochemical reactions during water heating



**Energy Saving
High Density
PUF Insulation**



**Cathodic
Protection**

4) ATTRACTIVE DIGITAL FEATURES*

- Cordless Remote: Wireless remote control for operational ease
- Full Digital Display
- On/Off Timer
- Clock Temperature Setting



**Cordless
Remote**



**Digital Controls
and Display**

*AVAILABLE IN Alaxa plus 20L, Alexa 30L, Erica (Digital) 15-25L, Versa Digital 40-100L, Heat Pump 200L-500L

5) TRUST OF JAQUAR

- Quality sets Jaquar apart. The high standards of our products have cemented our reputation as the most valued premium brand in the bathing industry

6) UNMATCHED CUSTOMER SERVICE

- Jaquar Water Heaters come with a warranty along with service back-up. Jaquar also offers a Bathroom Maintenance Service for hassle-free bathrooms

WATER HEATERS

INSTA GAS



ING-WHT-LPG006 Rs. 7,650

Product Specifications

Details	Instant Gas		
Volume (L)	06		
Rated Gas Supply Pressure (Pa)	LPG - 2800		
Working pressure (mpa)	0.01-1		
Thermal Load (Heat Input-kW)	12		
Warranty	2 Years on Burner 1 Year on other components		
Product Dimensions (in mm)	W	H	D
	06 Litres 300	440	120

Available in 6 litres
The perfect Instant Water heater for small families
Recommended for Kitchen & Bucket Bath

INSTA



INS-WHT-3KW01 Rs. 3,750
INS-WHT-3KW03 Rs. 4,250

INS-WHT-4.5KW01 Rs. 4,050
INS-WHT-4.5KW03 Rs. 4,400

Product Specifications

Details	Insta		
Volume (L)	1/3		
Rated Wattage	3/4.5 kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	6.5 Bar		
Inlet / Outlet Connection (Inch)	1/2		
Inner Container Material	Stainless Steel		
Warranty	5 Years On Tank 2 Years On Heating Element 2 Years On Other Parts		
Product Dimensions (in mm)	W	H	D
	1 Litre 200	330	150
	3 Litre 230	370	200

Available in 1/3 litres
Recommended for: Kitchen / Bucket Baths

WATER HEATERS

INSTA PRIME (MANUAL)



INP-WHT-5.5KW Rs. 9,350
INP-WHT-07KW Rs. 11,500
INP-WHT-09KW Rs. 12,250

Product Specifications

Details	INSTA PRIME (MANUAL)		
Rated Wattage	5.5/7/9 kW		
Voltage/Frequency (V /Hz)	230V/50Hz		
Teperature Range	30-55°C		
Working Pressure (Mpa)	0.6		
Inlet/ Outlet Connection (Inch)	1/2		
Warranty	3 Years on Heating Element 1 Year on Other Components		
Product Dimensions (in mm)	W	H	D
	225	400	83

Available in 5.5/7 /9kW (Single Phase)
Ideal for unlimited water supply during shower bath

Recommended for: Kitchen/ Bucket Baths

ERICA VERTICAL
(Digital)



ERD-WHT-V015 Rs. 17,100
ERD-WHT-V025 Rs. 20,300

Product Specifications

Details	Erica Vertical (Digital)			
Volume (L)	15/25			
Rated Wattage	1+2 kW			
Voltage / Frequency (V/Hz)	230V/50Hz			
Temperature Range	25°C to 75°C			
Working Pressure (Mpa)	0.8			
Inlet / Outlet Connection (Inch)	1/2			
Warranty	7 Years On Tank 4 Years On Heating Element 2 Years On Other Parts			
Product Dimensions (in mm)		W	H	D
	15 Litre	410	410	334
	25 Litres	470	470	371

Available in 15/25 litres
The perfect storage water heater for small families

Recommended for: Kitchen / Bucket Baths / Overhead Showers

WATER HEATERS

ERICA VERTICAL (Manual)



ERM-WHT-V006	Rs. 10,100
ERM-WHT-V010	Rs. 11,000
ERM-WHT-V015	Rs. 12,700
ERM-WHT-V025	Rs. 15,500

Product Specifications

Details	Erica Vertical (Manual)		
Volume (L)	6/10/15/25		
Rated Wattage	2 kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years On Tank 4 Years On Heating Element 2 Years On Other Parts		
Product Dimensions (in mm)		W	H D
	6 Litre	300	300 285
	10 Litres	340	340 328
	15 Litres	410	410 336
	25 Litres	470	470 375

Available in 6/10/15/25 litres
The perfect storage water heater for small families

Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA VERTICAL (Manual)



ELM-WHT-V006	Rs. 9,000
ELM-WHT-V010	Rs. 10,100
ELM-WHT-V015	Rs. 11,600
ELM-WHT-V025	Rs. 13,800

Product Specifications

Details	Elena Vertical (Manual)		
Volume (L)	6/10/15/25		
Rated Wattage	2kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts		
Product Dimensions (in mm)		W	H D
	6 Litres	288	288 260
	10 Litres	328	328 295
	15 Litres	385	385 305
	25 Litres	448	448 345

Available in 6/10/15/25 litres
The perfect storage water heater for small families

Recommended for: Kitchen / Bucket Baths / Overhead Showers

WATER HEATERS

ELENA⁺
(Manual)



ELM-WHT-3KWW006
ELM-WHT-3KWW010

Rs. 9,500
Rs. 11,100

Product Specifications

Details	Elena ⁺ Vertical (Manual)		
Volume (L)	6/10		
Rated Wattage	3kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts		
Product Dimensions (in mm)	W	H	D
6 Litres	288	288	260
10 Litres	328	328	295

Available in 6/10 litres

The perfect instant storage water heater for small families

Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA PRIME VERTICAL
(Manual)



EPM-WHT-V006
EPM-WHT-V010
EPM-WHT-V015
EPM-WHT-V025

Rs. 10,200
Rs. 11,500
Rs. 13,200
Rs. 14,100

Product Specifications

Details	Elena Prime (Manual)		
Volume (L)	6/10/15/25		
Rated Wattage	2 kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years On Tank 4 Years On Heating Element 2 Years On Other Parts		
Product Dimensions (in mm)	W	H	D
6 Litre	316	316	273
10 Litre	366	366	285
15 Litre	402	402	312
25 Litre	452	452	369

Available in 6/10/15/25 litres

The perfect storage water heater for small families

Recommended for: Kitchen / Bucket Baths / Overhead Showers

WATER HEATERS

ELENA HORIZONTAL (Manual)



ELM-WHT-H015/ELM-WHT-LHS015 Rs. 10,100
ELM-WHT-H025/ELM-WHT-LHS025 Rs. 12,100

Product Specifications

Details	Elena Horizontal (Manual)		
Volume (L)	15/25		
Rated Wattage	2Kw		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts		
Product Dimensions (in mm)		W	H
	15 Litres	510	320
	25 Litres	747	320

Available in 15/25 litres
The perfect storage water heater for small families

Available with Inlet / outlet on left hand side (LHS) and right hand side (RHS) Ideal for installation above false ceilings

ALEXA PLUS HORIZONTAL (Digital)



AXP-WHT-H020 Rs. 23,700

Product Specifications

Details	Alexa Plus Horizontal (Digital)			
Volume (L)	20			
Rated Wattage	2/3/5 kW			
Voltage / Frequency (V/Hz)	230V/50Hz			
Temperature Range	25°C to 75°C			
Working Pressure (Mpa)	0.8			
Inlet / Outlet Connection (Inch)	1/2			
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts			
Product Dimensions (in mm)		W	H	D
	20 Litres	610	340	320

Available in 20 litres
The perfect storage water heater for small families

Recommended for Bucket Bath / Overhead Showers

WATER HEATERS

ALEXA HORIZONTAL
(Digital)



ALX-WHT-H030 Rs. 26,100

Product Specifications

Details	Alexa Horizontal (Digital)		
Volume (L)	30		
Rated Wattage	2/3/5kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts		
Product Dimensions (in mm)	W	H	D
	30 Litres 718	365	344

Available in 30 litres
The perfect storage water heater for small families
Recommended for Bucket Bath / Overhead Showers

VERSA HORIZONTAL
(Manual)



VRM-WHT-H040 Rs. 15,000
VRM-WHT-H060 Rs. 17,600
VRM-WHT-H080 Rs. 20,900
VRM-WHT-H100 Rs. 21,700

Product Specifications

Details	Versa Horizontal (Manual)	
Volume (L)	40/60/80/100	
Rated Wattage	40/60 L - 2 kW 80/100 L - 3 kW	
Voltage / Frequency (V/Hz)	230V/50Hz	
Temperature Range	35°C to 75°C	
Working Pressure (Mpa)	0.8	
Inlet / Outlet Connection (Inch)	1/2	
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts	
Product Dimensions (in mm)	H	W
	40 Litres 400	685
	60 Litres 400	925
	80 Litres 470	895
	100 Litres 470	1065

Available in 40/60/80/100 litres
For use with shower panels and bathtubs
Recommended for: Overhead Showers / Shower Panels / Bathtubs

WATER HEATERS

VERSA VERTICAL

(Manual)



VRM-WHT-V040	Rs. 15,000
VRM-WHT-V060	Rs. 17,600
VRM-WHT-V080	Rs. 20,900
VRM-WHT-V100	Rs. 21,700

Product Specifications

Details	Versa Vertical (Manual)		
Volume (L)	40/60/80/100		
Rated Wattage	40/60 L - 2 kW 80/100 L - 3 kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	35°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts		
Product Dimensions (in mm)	W	H	
	40 Litres	400	675
	60 Litres	400	900
	80 Litres	470	905
	100 Litres	470	1095

Available in 40/60/80/100 litres
For use with shower panels and bathtubs

Recommended for: Overhead Showers / Shower Panels / Bathtubs

VERSA

(Digital)



VRD-WHT-H040	Rs. 18,300
VRD-WHT-H060	Rs. 21,000
VRD-WHT-H080	Rs. 23,600
VRD-WHT-H100	Rs. 25,900

Product Specifications

Details	Versa Horizontal (Digital)		
Volume (L)	40/60/80/100		
Rated Wattage	1/2/3 kW		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	35°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank 4 Years on Heating Element 2 Years on Other Parts		
Product Dimensions (in mm)	H	W	
	40 Litres	400	685
	60 Litres	400	925
	80 Litres	470	895
	100 Litres	470	1065

Available in 40/60/80/100 litres
For use with shower panels and bathtubs

Recommended for: Overhead Showers / Shower Panels / Bathtubs

WATER HEATERS

META (Digital)



- MET-WHT-V006 Rs. 7,700
- MET-WHT-V010 Rs. 8,350
- MET-WHT-V015 Rs. 8,800
- MET-WHT-V025 Rs. 11,100

Product Specifications

Details		Meta (Digital)	
Volume (L)		6/10/15/25	
Rated Wattage		2 Kw	
Voltage / Frequency (V/Hz)		230V / 50Hz	
Temperature Range		25°C to 75°C	
Working Pressure(Mpa)		0.8	
Inlet / Outlet Connection (Inch)		1/2	
Product Dimensions (in mm)	6Litres	W	H
	10Litres	290	400
	15Litres	290	495
	15Litres	340	495
	25Litres	390	560
Warranty		7 Years on Tank 4 Years on Heating Element 2 Years on other Parts	

Available in 6/10/15/25 litres
The perfect Instant Water heater for small families
Recommended for: Kitchen | Bucket Baths | Overhead Showers

META (Manual)



- MET-WHT-PV006 Rs. 7,150
- MET-WHT-PV010 Rs. 7,700
- MET-WHT-PV015 Rs. 8,400
- MET-WHT-PV025 Rs. 9,400

Product Specifications

Details		Meta (Manual)	
Volume (L)		6/10/15/25	
Rated Wattage		2 Kw	
Voltage / Frequency (V/Hz)		230V / 50Hz	
Temperature Range		25°C to 75°C	
Working Pressure (Mpa)		0.8	
Inlet / Outlet Connection (Inch)		1/2	
Product Dimensions (in mm)	6Litres	W	H
	10Litres	290	400
	15Litres	290	495
	15Litres	340	495
	25Litres	390	560
Warranty		7 Years on Tank 4 Years on Heating Element 2 Years on other Parts	

Available in 6/10/15/25 litres
The perfect Storage Water Heater for small families
Recommended for: Kitchen | Bucket Baths | Overhead Showers

WATER HEATERS

VERSA MANUAL HORIZONTAL



VRM-WHT-HD035 Rs. 10,900
VRM-WHT-HD050 Rs. 12,000
VRM-WHT-HD070 Rs. 16,700
VRM-WHT-HD100 Rs. 19,000

Product Specifications

Details	Versa Horizontal (Manual)		
Volume (L)	35/50		
Rated Wattaae	2kW		
Voltaaee/Freaueencv (V/Hz)	230V/50Hz		
Temperature Range	25-75°C		
Workina Pressure (Moa)	0.8		
InleV Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank		
	4 Years on Heating Element		
	2 Years on Other Components		
Product Dimensions (in mm)		W	H
	35 Litres	675	400
	50 Litres	740	430
	70 Litres	780	510
	100 Litres	985	510

Available in 35/50/70/100 Litres
For use with shower panels and bathtubs
Recommended for: Overhead Showers / Shower Panels / Bathtubs

VERSA MANUAL VERTICAL



VRM-WHT-VD035 Rs. 10,900
VRM-WHT-VD050 Rs. 12,000
VRM-WHT-VD070 Rs. 16,700
VRM-WHT-VD100 Rs. 19,000

Product Specifications

Details	Versa Vertical (Manual)		
Volume (L)	35/50		
Rated Wattaae	2kW		
Voltaaee/Freaueencv (V/Hz)	230V/50Hz		
Temperature Range	25-75°C		
Workina Pressure (Moa)	0.8		
InleV Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank		
	4 Years on Heating Element		
	2 Years on Other Components		
Product Dimensions (in mm)		W	H
	35 Litres	400	715
	50 Litres	430	770
	70 Litres	510	810
	100 Litres	510	1020

Available in 35/50/70/100 Litres
For use with shower panels and bathtubs
Recommended for: Overhead Showers / Shower Panesl / Bathtubs

WATER HEATERS

VERNA FLOOR MOUNTING

(Manual)



VRN-GRY-200 Rs. 60,500
VRN-GRY-300 Rs. 74,200
VRN-GRY-400 Rs. 83,900
VRN-GRY-500 Rs. 1,11,000

Product Specifications

Details	Verna Floor Mounted (Manual)		
Volume (L)	200/300/400/500		
Rated Wattage	200/300/400L - 2.5 kW x 2 500L - 3.00 kW x 2		
Voltage / Frequency (V/Hz)	230V/50Hz		
Temperature Range	35°C to 75°C		
Working Pressure (Mpa)	1.0		
Inlet / Outlet Connection (Inch)	3/4		
Warranty	3 Years on Tank 3 Years on Heating Element 3 Years on Other Parts		
Product Dimensions (in mm)		W	H
	200 Litres	540	1575
	300 Litres	650	1600
	400 Litres	710	1650
	500 Litres	710	1999

Available in 200/300/400/500 litres

For centralised hot water solutions

Recommended as the Centralised Heating Solution for Multiple Bathrooms

INTEGRA-X

(Monobloc Heat Pump)



HPM-WHT-P200 Rs. 1,85,000

Product Specifications

Details	Integra-x Monobloc Heat Pump		
Tank Volume (L)	200		
Rated Heating Capacity (kW)	2.60		
Rated Input Power (kW)	0.63		
Working Ambient Temperature (Deg C)	-7 ~ 43		
Max Outlet Temperature (Deg C)	55/75		
Required Power Supply (V/Ph/Hz)	220/1/50		
Heating Element (kW)	2.0 kW		
Refrigerant Type	R134a		
Warranty	4 years on Tank, 2 years on heating element, compressor and Sealed System 1 year on other components		
Net Dimension (mm)		W	H
	200L	620	1494
Weight - Net/ Gross (Kg)	200L	95/113	

Available in 200 litres

For use in multiple bathrooms with shower panels & bathtubs

Recommended for: the Centralised Heating Solution for Multiple Bathrooms

WATER HEATERS

INTEGRA
(Split Heat Pump)



HPS-WHT-300 Rs. 2,15,000
HPS-WHT-400 Rs. 2,28,000
HPS-WHT-500 Rs. 2,80,000

Product Specifications

Details		Integra Split Heat Pump			
Tank Volume (L)	300/400/500				
Rated Heating Capacity (kW)	300/400L - 5.2				
	500L - 7.2				
Rated Input Power (kW)	300/400L - 1.3				
	500L - 1.8				
Working Ambient Temperature (Deg C)	-7 ~ 43				
Max Outlet Temperature (Deg C)	55/75				
Required Power Supply (V/Ph/Hz)	220/1/50				
Heating Element (kW)	300L - 2.0 kW				
	400/500L - 4.0 kW				
Refrigerant Type	R410a				
Net Dimension - Heat Pump (mm)			W	H	D
	300/400/500L		780	970	390
Net Dimension - Water Tank (mm)			W	H	
	300L	650	1427		
	400L	700	1480		
	500L	700	1850		
Warranty (Yrs)	4 Years on Tank, 2 years on heating element, compressor & Sealed System 1 year on other components				
Weight - Heat Pump - Net/Gross (Kg)	300/400L		48/65		
	500L		54/68		
Weight - Water Tank - Net/Gross (Kg)	300L		84/104		
	400L		105/125		
	500L		128/148		

Available in 300/400/500 litres
For use in multiple bathrooms with shower panels & bathtubs

Recommended for: the Centralised Heating Solution for Multiple Bathrooms

WATER HEATERS

INTEGRA-X
(Split Heat Pump)



HPS-WHT-200X	Rs. 1,85,000
HPS-WHT-300X	Rs. 2,10,000
HPS-WHT-400X	Rs. 2,71,000
HPS-WHT-500X	Rs. 3,22,000

Product Specifications

Details	Integra-X Split Heat Pump			
Tank Volume (L)	200/300/400/500			
Rated Heating Capacity (kW)	200 - 3.6/300L - 5.4			
	400 - 8.7/500L - 12.0			
Rated Input Power (kW)	200 - 0.87/300L - 1.3			
	400 - 2.15/500L - 2.95			
Working Ambient Temperature (Deg C)	-7 ~ 43			
Max Outlet Temperature (Deg C)	60/75			
Required Power Supply (V/Ph/Hz)	220/1/50			
Heating Element (kW)	200/300L - 3.0			
	400/500L - 4.0			
Refrigerant Type	R410a			
Net Dimension - Heat Pump (mm)		W	H	D
	200L/300L	385	550	936
	400L/500L	420	800	986
Net Dimension - Water Tank (mm)		W	H	
	200L	510	1730	
	300L	680	1360	
	400L	680	1740	
	500L	730	1820	
Warranty	4 Years on Tank, 3 Years on heating element and compressor 1 Year on other components			
Weight - Heat Pump - Net/Gross (Kg)	200L	55/59		
	300L	60/65		
	400L	80/87		
	500L	96/104		
Weight - Water Tank - Net/Gross (Kg)	200L	78/84		
	300L	88/95		
	400L	99/108		
	500L	126/136		

Available in 200/300/400/500 litres
For use in multiple bathrooms with shower panels & bathtubs
Recommended for: the Centralised Heating Solution for Multiple Bathrooms

Jaquar Integra Heat Pump Water Heater



Greener | Cleaner | Saver

Designs at a glance



Bidspa



Ornamix



Arc



Kubix



Fusion



Solo



Opal



Florentine



D'Arc



Alive



Lyrical



Aria



Queen's Prime



Fonte



Vignette



Continental



JDR



Disabled



Urinals



Accessories